# Winstars Technology Ltd

## Product Catalog

2023Q4

**No. 1**

Docking Station Sales in 2022

**Fastest Growing.**

Wireless Networking Expert

**20 Years**

Professional OEM/ODM Manufacturer

**Award Winning Series**

Energy & Charging Devices

**Broadcasting & Contents Creation**

Professional AV Solutions

**High Performance**

Storage Devices

www.win-star.com

# ABOUT WINSTARS

Founded in 2003 and headquartered in Shenzhen, being a global leading manufacturer. Winstars owns the expertise in comprehensive PC connectivity peripherals, wireless networking, Storage and Energy products.

Backed by an 200+ experienced engineers R&D team, 750+ factory staff and complete in-house supply chain with strict control of every step (hardware and software, ID and MD, molding, injection, SMT, assembly, QC and packing) from A to Z. Winstars dedicates all to supplying the best products and professional services, creating values for customers.

Contact us winstars@win-star.com

**Operation Center**

17-19F. Block 3C, Huaqiang Idea Park,
Guangming District, Shenzhen

# Office & Factories

## R & D Center

44th Floor, Block C, Digital Innovation Center.
Longhua District. Shenzhen

## Shenzhen Factory

Winstars technology(Longhua)
Longhua District, Shenzhen

## Logistics & Sales Support

Kowloon, Hong Kong

## Vietnam Factory

Winstars Technology (Vietnam)
Bac Ninh, Vietnam

## Dongguan Factory

Winstars Technology (Dongguan)
PSU Factory

## Jiangxi Factory

Winstars Technology (Jiangxi)
Longnan, Jiangxi

# Production Line

Hardware&Software

ID&MD Design

Molding

Injection

SMT

DIP

Assembly

Testing

Aging Test


Packing


QC


Warehouse

# Winstars Capability

## Product

Winstars boasts five specialized and commercially driven production bases, strategically located both domestically and internationally. These state-of-the-art facilities are equipped with cutting-edge technology and staffed by a highly skilled workforce of over 750 professionals. With our robust production capacity and stringent quality control measures, we consistently deliver efficient and market-ready products to meet the demands of our customers.

## Design

With a dedicated team of talented designers, we prioritize aesthetics, functionality, and user-centricity in all our product development efforts. We follow a user-centered design approach, conducting extensive research to understand the needs, preferences, and pain points of our target audience. By empathizing with users, we are able to develop solutions that truly meet their requirements and exceed their expectations.

## Supply Chain

Winstars boasts a well-established and highly efficient supply chain. We have forged long-term strategic partnerships with prominent chips companies, enabling us to secure the necessary components for our products. With four state-of-the-art production facilities located both domestically and internationally, along with our in-house power supply and mold factories, we have comprehensive control over cost management while ensuring superior quality, timely delivery, and exceptional flexibility.

## R & D

Winstars is driven by product innovation and cutting-edge technology. With a dedicated R&D team in hardware and software, we focus on applying the latest technologies to create value for our customers. We continuously explore new use cases and ideologies, aiming to stay ahead of industry trends and provide innovative solutions that drive digital transformation and enhance our clients' competitiveness.

# Testimony of Honor

# CONTENTS

## 01 Wireless Networking


Mesh System 1
Wireless Router 4
Travel Router 9
5G/4G CPE Router 10
Ceiling Router 12
Access Point 13
AC Controller 18
Range Extender 19
Wi-Fi Adapter 22
Powerline Adapter 25
NAS Devices 26


## 02 USB Docking Station


Thunderbolt 4/3 Dock 27
USB 4 Dock 33
Wireless Dock 35
USB-C Universal Dock 36
USB-C MST Dock 42
Ergonomic Dock 47
USB-C Mini Dock 48


## 03 USB Hub & Adapter


USB Hub 50
USB Display Adapter 55
USB to Ethernet Adapter 56
USB Network Print Server 56
Video Capture Card 57
SD/TF Card Reader 57


## 04 Storage & Peripherals


NVMe SSD 59
USB SSD Enclosure 60
HDD/SSD Enclosure 61
HDD/SSD Adapter 61
HDD/SSD Storage Dock 62


## 05 Power & Charging Devices


GaN Charger 63
Power Adapter 65
Wireless Charger 67


## 06 Professional AV Solutions


Wireless Video Transmission Kit 69
Wireless Headset Intercom System 71
Wireless Lavalier Microphone 72
Video Capture Card 74

# Wi-Fi 7

## New Generation Wi-Fi Mesh Router
## AX22000 Tri-Band

22000Mbps

11520 Mbps (6 GHz) + 8640 Mbps (5 GHz) + 1376 Mbps (2.4 GHz)
with 10G Ethernet Ports, 8x 5dBi Antennas

Mesh Compatible, VPN Supported
Smart AI Network, Parental Control

| Wi-Fi 6 Mesh System | AX3000, AX1800 Whole Home Mesh Wi-Fi System |
|---|---|

Whole Home Smart Wi-Fi System

**AX3000**

3000Mbps

**AX3000**

**PID: WS-WN551X3, X2, X1**

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
5x 5dBi Internal Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
160MHZ, OFDMA, MU-MIMO
MeshGo APP, Parental Control
TR069, VLAN, PPTP, L2TP
Patented TouchLink Technology

1800Mbps

**AX1800**

**PID: WS-WN552X3, X2, X1**

Wi-Fi 6, 1201Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi Internal Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
80MHZ, OFDMA, MU-MIMO
MeshGo APP, Parental Control
TR069, VLAN, PPTP, L2TP
Patented TouchLink Technology

## TouchLink Technology

TouchLink technology is a password-free and secure Wi-Fi connection technology developed by Winstars. Just touch the device's TouchLink sensing area, when the device's LED light flashes, you can connect your phone, tablet, pad, etc. to a network SSID with a "Touch" suffix within 2 minutes, wihtout entering a password. This greatly facilitates users to share WiFi with your friends and guests without password, mainwhile ensures the safety of network use.

| Wi-Fi 5 Mesh System | AC3000, AC2100, AC1200 Whole Home Mesh Wi-Fi System |
|---|---|

3000Mbps

AC3000

**PID: WS-WN551K3, K2, K1**

Wi-Fi 5, 1733Mbps + 867Mbps (5GHz) + 400Mbps (2.4GHz)
2x 5dBi + 6x 7dBi Internal Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
MU-MIMO, Beamforming
MeshGo APP, Parental Control
Patented TouchLink Technology

2100Mbps

AC2100

**PID: WS-WN552K3, K2, K1**

Wi-Fi 5, 1733Mbps (5GHz) + 300Mbps (2.4GHz)
6x 3dBi Internal Anternnas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
MeshGo APP, Parental Control
TR069, VLAN, PPTP, L2TP
Patented TouchLink Technology

2100Mbps

AC2100

**PID: WS-WN583K3, K2, K1**

Wi-Fi 5, 1733Mbps (5GHz) + 300Mbps (2.4GHz)
6x 3dBi Internal Antennas
1x Gigabit WAN port + 1x Gigabit LAN Port
Easy Mesh, Wi-Fi Router, Mesh Router + Mesh Extender
MeshGo APP, Parental Control
VLAN, PPTP, L2TP
Patented TouchLink Technology

1200Mbps

AC1200

**PID: WS-WN535M3, M2, M1**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 3dBi Internal Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
MeshGo APP, Parental Control
VLAN, PPTP, L2TP
Patented TouchLink Technology

1200Mbps

AC1200

**PID: WS-WN553M3, M2, M1**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 3dBi Internal Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
MeshGo APP, Parental Control
VLAN, PPTP, L2TP
Patented TouchLink Technology

1200Mbps

AC1200

**PID: WS-WN576K3, K2, K1**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 3dBi Internal Antennas
1x Gigabit WAN port + 1x Gigabit LAN Port
Easy Mesh, Wi-Fi Router, Mesh Router + Mesh Extender
MeshGo APP, Parental Control
V-LAN, PPTP, L2TP
Patented TouchLink Technology

| Wi-Fi 6 Mesh Router | AX6000, AX3000, AX1800 Mesh Router |
|---|---|

6000Mbps

AX6000

**PID: WS-WN592AX6**

Wi-Fi 6, 4804Mbps (5GHz) + 1148Mbps (2.4GHz)
8x 5dBi External Foldable Antennas
1x 2.5Gigabit WAN port + 1x 2.5Gigabit LAN Port
+ 3x 2.5Gigabit LAN Ports
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP
1x USB-A 3.0

6000Mbps

AX6000

**PID: WS-WN583X1**

Wi-Fi 6, 4804Mbps (5GHz) + 1148Mbps (2.4GHz)
6x 5dBi External Foldable Antennas
1x 2.5Gigabit WAN/LAN port + 4x Gigabit LAN Ports
Wi-Fi Router, Mesh Router/Extender
TR069, V-LAN, PPTP, L2TP
1x USB-A 3.0

3000Mbps

AX3000

**PID: WS-WN536AX3**

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN/LAN port + 4x Gigabit LAN Ports
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP
Patented TouchLink Technology
1x USB-A 3.0

3000Mbps

AX3000

**PID: WS-WN531AX3**

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi External Foldable Anternnas
1x Gigabit WAN port + 4x Gigabit LAN Ports
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP
Patented TouchLink Technology
1x USB-A 3.0

3000Mbps

AX3000

**PID: WS-WN586X3, WS-WN587X3** (1x Gigabit LAN)

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN/LAN port + 2x Gigabit LAN Ports
Wi-Fi Router, Mesh Router/Extender
VLAN, PPTP, L2TP

1800Mbps

AX1800

**PID: WS-WN531AX2**

Wi-Fi 6, 1201Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi External Foldable Anternnas
1x Gigabit WAN port + 4x Gigabit LAN Ports
Wi-Fi Router, Mesh Router/Extender
VLAN, PPTP, L2TP
Patented TouchLink Technology

| Wi-Fi 5 Wireless Router | AC3200, AC3000, AC2100 Wireless Wi-Fi Router |
|---|---|

3000Mbps

AC3200

**PID: WS-WN538A8**

Wi-Fi 5, 2167Mbps (5GHz) + 1000Mbps (2.4GHz)
8x 5dBi Internal Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
1x USB-A 3.0

3000Mbps

AC3000

**PID: WS-WN536A8**

Wi-Fi 5, 1733Mbps + 863Mbps (5GHz) + 400Mbps (2.4GHz)
8x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
1x USB-A 3.0

3000Mbps

AC3000

**PID: WS-WN533A8**

Wi-Fi 5, 1733Mbps + 863Mbps (5GHz) + 400Mbps (2.4GHz)
8x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
Patented TouchLink Technology
1x USB-A 3.0

2100Mbps

AC2100

**PID: WS-WN536A6**

Wi-Fi 5, 1733Mbps (5GHz) + 300Mbps (2.4GHz)
6x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
1x USB-A 3.0

2100Mbps

AC2100

**PID:WS-WN531A6**

Wi-Fi 5, 1733Mbps (5GHz) + 300Mbps (2.4GHz)
6x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
Patented TouchLink Technology
1x USB-A 3.0

| Wi-Fi 5 Wireless Router | AC1200 Dual Band Wireless Wi-Fi Router |
|---|---|

1200Mbps

AC1200

**PID: WS-WN536P3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
1x USB-A 3.0

1200Mbps

AC1200

**PID: WS-WN531P3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
1x USB-A 3.0

1200Mbps

AC1200

**PID: WS-WN530G3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports

1200Mbps

AC1200

**PID: WS-WN530HG3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Built with High Power Amplifier

1200Mbps

AC1200

**PID: WS-WN536G3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN port + 1x Gigabit LAN Port
+ 3x Fast LAN Ports
1x USB-A 2.0

1200Mbps

AC1200

**PID: WS-WN531G3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN port + 1x Gigabit LAN Port
+ 3x Fast LAN Ports
1x USB-A 2.0

| Wi-Fi 5 Wireless Router | AC1200 Dual Band Wireless Wi-Fi Router |
|---|---|

1200Mbps

AC1200

**PID: WS-WN530HA3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Fast WAN port + 2x Fast LAN Ports
Patented TouchLink Technology
1x USB-A 2.0

1200Mbps

AC1200

**PID: WS-WN531P3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
Patented TouchLink Technology
1x USB-A 3.0

1200Mbps

AC1200

**PID: WS-WN530HG4**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports

1200Mbps

AC1200

**PID: WS-WS-WN530H4**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
Built with High Power Amplifier

1200Mbps

AC1200

**PID: WS-WN513A3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Fast WAN port + 2x Fast LAN Ports

1200Mbps

AC1200

**PID: WS-WN529B3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Fast WAN port + 2x Fast LAN Ports

| Wi-Fi 4 Wireless Router | AC1200 Dual Band Wireless Wi-Fi Router |
|---|---|

300Mbps

N300

**PID: WS-WN532N2**

Wi-Fi 4, 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Fast WAN port + 4x Fast LAN Ports

300Mbps

N300

**PID: WS-WN530N2**

Wi-Fi 4, 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Fast WAN port + 4x Fast LAN Ports

300Mbps

N300

**PID: WS-WN532H2**

Wi-Fi 4, 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Fast WAN port + 2x Fast LAN Ports
1x USB-A 3.0

300Mbps

N300

**PID: WS-WN530K2**

Wi-Fi 4, 300Mbps (2.4GHz)
2x 5dBi External Foldable Antennas
1x Fast WAN port + 2x Fast LAN Ports

300Mbps

N300

**PID: WS-WN529R2P**

Wi-Fi 4, 300Mbps (2.4GHz)
4x 5dBi Internal Antennas
1x Fast WAN port + 2x Fast LAN Ports
1x USB-A 3.0

300Mbps

N300

**PID: WS-WN529R2**

Wi-Fi 4, 300Mbps (2.4GHz)
2x 5dBi Internal Antennas
1x Fast WAN port + 2x Fast LAN Ports

300Mbps

N300

**PID: WS-WN535N2**

Wi-Fi 4, 300Mbps (2.4GHz)
2x 5dBi Internal Antennas
1x Fast WAN port + 2x Fast LAN Ports

| Secure Travel Wi-Fi Router | Wi-Fi 6 AX3000 Dual Band (5GHz + 2.4GHz) |
|---|---|

3000Mbps

**PID: WS-WNT100X3**

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
2x 3dBi External Antennas
Portable, compact design makes it easy to take with you on the go.
1x Gigabit WAN Port + 1x Gigabit LAN ports
IPv6 supported, keep your Internet Safe.
OpenVPN & WireGuard pre-installed, compatible with 30+ VPN service providers.
Cloud flare encryption supported to protect the privacy.
Convert a public network(wired/wireless) to a private Wi-Fi for secure surfing.

Access Point

Router

Bridge

| 5G CPE Router | 5G SIM AX3600, AX3000 Wi-Fi 6 CPE Router |
|---|---|

**PID: WS-WNF100X3NR-A**

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
5G LTE, 5G SA NSA mode
5G NR: (DL/UL) 2.4Gbps/900Mbps
LTE: (DL/UL) 1.6Gbps/200Mbps
Cat 6: 300Mbps download, 50Mbps upload
11x Internal Antennas
1x 2.5 Gigabit WAN port + 1x Gigabit LAN Port
1x RJ11 Tel Port
1x USB-C for Debug and Firmware Upgrade
1x SIM Card Slot

5G Router + WiFi 6 Technology + Easy Mesh + VoLTE



**PID: WS-WN584E8**

Speical Design for Outdoor Use
Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
5G LTE, 5G SA NSA mode
5G NR: (DL/UL) 2.4Gbps/900Mbps
LTE: (DL/UL) 1.6Gbps/200Mbps
Cat 6: 300Mbps download, 50Mbps upload
6x 7dBi External Anternnas
1x Gigabit WAN/LAN/POE(Active) port
1x RJ11 Tel Port
1x SIM Card Slot
Support POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

| 4G CPE Router | 4G SIM AX3000, AC1200, N300 CPE Router |
|---|---|

4G LTE

3000Mbps

AX3000



**PID: WS-WN588HE4**

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
4G CPE Outdoor AP
Cat 4: 150Mbps download, 50Mbps upload
5x 7dBi External Antennas
1x Gigabit WAN/LAN/POE, 1x Gigabit LAN Port
Support POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

4G LTE

1200Mbps

AC1200

**PID: WS-WN572HE4**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4G CPE Outdoor AP
Cat 4: 150Mbps download, 50Mbps upload
4x 7dBi External Antennas
1x Gigabit WAN/LAN/POE port, 1x Gigabit LAN Port
Support POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

4G LTE

1200Mbps

AC1200

**PID: WS-WN531E4**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
6x 5dBi External Foldable Antennas
4G CPE Outdoor AP
Cat 4: 150Mbps download, 50Mbps upload
1x Gigabit WAN port + 4x Gigabit LAN Ports
Patented TouchLink Technology

4G LTE

1200Mbps

AC1200

**PID: WS-WN536E4**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
6x 5dBi External Foldable Antennas
4G CPE Outdoor AP
Cat 4: 150Mbps download, 50Mbps upload
1x Gigabit WAN port + 4x Gigabit LAN Ports

4G LTE

1200Mbps

AC1200

**PID: WS-WN535E4**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4G CPE Outdoor AP
Cat 4: 150Mbps download, 50Mbps upload
4x 5dBi External Antennas
1x Gigabit WAN Port + 1x Gigabit LAN Port
Patented TouchLink Technology

4G LTE

300Mbps

N300

**PID: WS-WN529E4**

Wi-Fi 4, 300Mbps (2.4GHz)
Cat 4: 150Mbps download, 50Mbps upload
4x 5dBi External Antennas
1x Fast WAN port + 2x Fast LAN Ports

## Wireless Ceiling AP/Router | AX3000, AC1200 Ceiling AP/Router with POE

3000Mbps

**AX3000**



**PID: WS-WNA202X3**

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
5x 5dBi Internal Antennas
1x Gigabit WAN/POE In port + 1x Gigabit LAN/POE Out Port
AP, Wi-Fi Router, Mesh Router/Extender
VLAN, PPTP, L2TP
Support Winstars AC Controller

3000Mbps

**AC3000**

**PID: WS-WN533Q8**

Wi-Fi 5, 1733Mbps (5GHz)
+ 867Mbps (5GHz) + 400Mbps (2.4GHz)
6x 5dBi Internal Antennas
1x Gigabit WAN/LAN port + 4x Gigabit LAN Ports
AP, Wi-Fi Router, Mesh Router/Extender
VLAN, PPTP, L2TP
Support Winstars AC Controller

2100Mbps

**AC2100**



**PID: WS-WN531Q6**

Wi-Fi 5, 1733Mbps (5GHz) + 300Mbps (2.4GHz)
6x 5dBi Internal Anternnas
1x Gigabit WAN port + 4x Gigabit LAN Ports
AP, Wi-Fi Router, Mesh Router/Extender
VLAN, PPTP, L2TP
Support Winstars AC Controller

1200Mbps

**AC1200**

**PID: WS-WN530HP3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Fast WAN/LAN/POE port + 2x Fast LAN Ports
AP, Wi-Fi Router
VLAN, PPTP, L2TP
Support Winstars AC Controller

### AC Controller + Ceiling AP



**PID: WS-WN701AE-A**

Please refer to page 18 for more details.

# Wi-Fi 6 AX3000 High Power Outdoor AP

**Powered by Solar Panel**

**AX3000**

**PID: WS-WN573HX3S**

Special Deisgn for Outdoor Use
Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
Built with Powerful Multi 7dBi External Omini Directional Antennas
1x Gigabit WAN/LAN/POE (Power Over Ethernet)
AP, Wi-Fi Extender, Wi-Fi Router, Mesh Router/Extender
Supports POE and Powered by Solar Panel
Durable, Weatherproof IP67 Enclosure

| Wi-Fi 6 Outdoor AP | High Power AX3000, AX1800 Outdoor AP with POE |
|---|---|

PID: WS-WN573HX3



WS-WN588HX3

Directional Antennas

WS-WN573HP3

AX3000 — 3000Mbps — Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)

Special Deisgn for Outdoor Use
Wi-Fi 6, Dual Band : 5GHz + 2.4GHz
Built with Powerful Multi 7dBi External Antennas
1x Gigabit WAN/LAN/POE (Power Over Ethernet)
AP, Wi-Fi Extender, Wi-Fi Router, Mesh Router/Extender
Durable, Weatherproof IP67 Enclosure

AX1800 — 1800Mbps — Wi-Fi 6, 1201Mbps (5GHz) + 573Mbps (2.4GHz)

PID: WS-WN573HX1



WS-WN588HX1

Directional Antennas

WS-WN573HP1

| Wi-Fi 5 Outdoor AP | High Power AC1200, AC600 Dual Band Outdoor AP with POE |
|---|---|



4G LTE

1200Mbps

AC1200

**PID: WS-WN588HE3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
7dBi External Omini Directional Antennas
1x Gigabit WAN/LAN/POE
Support Active POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure



1200Mbps

AC1200

**PID: WS-WN588HG3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
7dBi External Omini Directional Antennas
1x Gigabit WAN/LAN/POE
Support Active POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

4G LTE

1200Mbps

AC1200

**PID: WS-WN572HE4**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 7dBi External Omini Directional Antennas
1x Gigabit WAN/LAN/POE port, 1x Gigabit LAN Port
Support Passive POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

1200Mbps

AC1200

**PID: WS-WN572HP3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
7dBi External Omini Directional Antennas
1x Fast WAN/LAN/POE port
Support Passive POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

1200Mbps

AC1200

**PID: WS-WN570HA2**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
7dBi External Omini Directional Antennas
1x Fast WAN/LAN/POE port
Support Active POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

600Mbps

AC600

**PID: WS-WN570HA1**

Wi-Fi 5, 433Mbps (5GHz) + 150Mbps (2.4GHz)
7dBi External Omini Directional Antennas
1x Fast WAN/LAN/POE port
Support Passive POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

| Wi-Fi 4 Outdoor AP | High Power N300 Single Band Outdoor AP with POE |
|---|---|



300Mbps

N300

**PID: WS-WN589HN2**

Wi-Fi 4, 300Mbps (2.4GHz)
7dBi External Omini Directional Antennas
1x Fast WAN/LAN/POE
Support Active POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

300Mbps

N300

**PID: WS-WN570HN2-B**

Wi-Fi 4, 300Mbps (2.4GHz)
7dBi External Omini Directional Antennas
1x Fast WAN/LAN/POE
Support Active POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

300Mbps

N300

**PID: WS-WN570HP2**

Wi-Fi 4, 300Mbps (2.4GHz)
7dBi External Directional Antennas
1x Fast WAN/LAN/POE port
Support POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

## AC Controller + Outdoor AP

**PID: WS-WN701AE-A**

Please refer to page 18 for more details.



**WS-WN573HP3**

**WS-WN573HX3**

**WS-WN570HA2**

**WS-WN570HN2**

| AC Controller | Manage the AP (Access Point) in a unified way |
|---|---|

**PID: WS-WN701AE-A**

Built-in AC function can manage Winstars AP in a unified way.
As both a router and a wireless controller, can uniformly control up to 64pcs AP theoretically and easily expand the enterprise wireless network.
Gigabit port, meet the mainstream specifications of optical fiber access services.
Integrates three technologies: Poe power supply, AC (wireless control) and routing.
Miniaturization of the fuselage design, single-handedly controlled, and easily put into the information box/weak box.
Built-in standard PoE network cable power supply module power supply at the same time, convenient wiring.










## AC Controller + AP

**Ceiling AP**

Page 12

**Outdoor AP**



Page 16

**Socket AP**

Page 17

| Wi-Fi 6 Range Extender | AX3000, AX1800 Dual Band with Full Gigabit Ports |
|---|---|

3000Mbps

AX3000

**PID: WS-WN583AX3**

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
5dBi External Omini Directional Antennas
1x Gigabit WAN/LAN
Wi-Fi Range Extender, Mesh Extender

1800Mbps

AX1800

**PID: WS-WN583AX1**

Wi-Fi 6, 1201Mbps (5GHz) + 573Mbps (2.4GHz)
5dBi External Omini Directional Antennas
1x Gigabit WAN/LAN + 1x Gigabit LAN
Wi-Fi Range Extender, Mesh Extender

3000Mbps

AX3000

**PID: WS-WN589X3**

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
5dBi External Omini Directional Antennas
1x Gigabit WAN/LAN + 1x Gigabit LAN
Wi-Fi Range Extender, Mesh Extender



| Wi-Fi 5 Range Extender | AC2100, AC1200, Dual Band 2.4GHz + 5GHz |
|---|---|

2100Mbps

AC2100

wps

**PID: WS-WN583A6**

Wi-Fi 5, 1733Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi Internal Antennas
1x Gigabit WAN/LAN + 1x Gigabit LAN
Range Extender, AP, Router

1200Mbps

AC2100

wps

**PID: WS-WN579G3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Gigabit WAN + 1x Gigabit LAN
Range Extender, AP, Router

1200Mbps

AC1200

wps

**PID: WS-WN579X3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Gigabit WAN + 1x Gigabit LAN
Range Extender, AP, Router

1200Mbps

AC1200

wps

**PID: WS-WN576G3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Gigabit WAN
Range Extender, AP, Router

1200Mbps

AC1200

wps

**PID: WS-WN575A3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 3dBi External Antennas
1x Fast WAN/LAN, 1x Fast LAN
Range Extender, AP, Router

1200Mbps

AC1200

wps

**PID: WS-WN575A4**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
2x 3dBi External Antennas
1x Fast LAN
Range Extender, AP, Router

| Wi-Fi 5 Range Extender | AC750, Dual Band 2.4GHz + 5GHz |
|---|---|

750Mbps wps

**AC750**

Wi-Fi 5, 433Mbps (5GHz)
+ 300Mbps (2.4GHz)
3x 5dBi Antennas
1x Fast WAN/LAN + 1x Fast LAN
Range Extender, AP, Router

**WS-WN575A2**

**WS-WN576A2**

**WS-WN577A2**

**WS-WN566A2**

| Wi-Fi 4 Range Extender | N300, Single Band 2.4GHz |
|---|---|

300Mbps wps

**N300**

Wi-Fi 4, 300Mbps (2.4GHz)
2x 3dBi Antennas
1x Fast WAN/LAN + 1x Fast LAN
Range Extender, AP

**WS-WN578HR2**

**WS-WN578R2**

**WS-WN578S2**

**WS-WN523N2**

300Mbps wps

**N300**

Wi-Fi 4, 300Mbps (2.4GHz)
2x 3dBi Antennas
1x Fast LAN
Range Extender, AP

**WS-WN560N2**

**WS-WN518W2**

**WS-WN581N2**

**WS-WN519N2**

## Wi-Fi 6E/6 PCI-e Adapter

**AX5400, AX3000, Tri-Band 2.4GHz + 5GHz + 6GHz**



5400Mbps

AX5400

**PID: WS-WN675X3**

Wi-Fi 6E, 2402Mbps (6GHz)
+ 2400Mbps (5GHz) + 573Mbps (2.4GHz)
2x 3dBi Antennas
PCI-e Interface
Support Bluetooth 5.3

5400Mbps

AX5400

**PID: WS-WN675X3M**

Wi-Fi 6E, 2402Mbps (6GHz)
+ 2400Mbps (5GHz) + 573Mbps (2.4GHz)
PCI-e Interface
Support Bluetooth 5.3

3000Mbps

AX3000

**PID: WS-WN675X2**

Wi-Fi 6, 1200Mbps (6GHz)
+ 1200Mbps (5GHz) + 573Mbps (2.4GHz)
2x 3dBi Antennas
PCI-e Interface

3000Mbps

AX3000

**PID: WS-WN675X2M**

Wi-Fi 6, 1200Mbps (6GHz)
+ 1200Mbps (5GHz) + 573Mbps (2.4GHz)
PCI-e Interface
Support Bluetooth 5.2

| Wi-Fi 6/6E USB Adapter | AX5400, AX3000, AX1800 |
|---|---|

5400Mbps

AX5400

**PID: WS-WN695X2**

Wi-Fi 6E, 2402Mbps (6GHz)
+ 2402Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi Antennas
USB-A 3.0 Interface

1800Mbps

AX1800

**PID: WS-WN693X1**

Wi-Fi 6, Dual Band
1201Mbps (5GHz) + 573Mbps (2.4GHz)
4x 3dBi Antennas
USB-A 3.0 Interface

1800Mbps

AX1800

**PID: WS-WN690X1**

Wi-Fi 6, Dual Band
1201Mbps (5GHz) + 573Mbps (2.4GHz)
2x 3dBi Antennas
USB-A 3.0 Interface

600Mbps

AX600

**PID: WS-WN681X1F, WS-WN681XEF**

Wi-Fi 6, Dual Band
278Mbps (5GHz) + 278Mbps (2.4GHz)
1x 3dBi Antenna
USB-A 2.0 Interface
Support Bluetooth 5.2

300Mbps

AX300

**PID: WS-WN687X1F**

Wi-Fi 6, Single Band
300Mbps (2.4GHz)
1x 3dBi Antenna
USB-A 2.0 Interface
Support Bluetooth 5.2

| Wi-Fi 5/4 USB Adapter | AC1900, AC1300, AC650, N300, N150 |
|---|---|

1900Mbps

AC1900

**PID: WS-WN693A5**

Wi-Fi 5, 1300Mbps (5GHz) + 600Mbps (2.4GHz)
4x 5dBi Antennas
USB-A 3.0 Interface

1900Mbps

AC1900

**PID: WS-WN690A5D**

Wi-Fi 5, 1300Mbps (5GHz) + 600Mbps (2.4GHz)
4x 5dBi Antennas
USB-A 3.0 Interface

1300Mbps

AC1300

Wi-Fi 5 Dual Band
867Mbps (5GHz) + 400Mbps (2.4GHz)
2x 5dBi Antennas
USB-A 3.0 Interface

**WS-WN692A3**

**WS-WN688A3**

**WS-WN688U3**

650Mbps

AC650

**PID: WS-WN691A1, WS-WN681A1**

Wi-Fi 5, 433Mbps (5GHz) + 200Mbps (2.4GHz)
2x 5dBi Antennas
USB-A 2.0 Interface

650Mbps

AC650

**PID: WS-WN691AEF, WS-WN681AEF**

Wi-Fi 5, 433Mbps (5GHz) + 200Mbps (2.4GHz)
2x 5dBi Antennas
USB-A 2.0 Interface

300Mbps

N300

**PID: WS-WN683N2P**

Wi-Fi 4, 300Mbps (2.4GHz)
1x 3dBi Antenna
USB-A 2.0 Interface

150Mbps

N150

**PID: WS-WN687S1**

Wi-Fi 4, 150Mbps (2.4GHz)
1x 3dBi Antennas
USB-A 2.0 Interface

| Wi-Fi Powerline Adapter | G.Hn 1500Mbps, HomePlug AV1200, AV500 |
|---|---|

1500Mbps

G.Hn 1500

**PID: WS-NWP505G2**

G.hn1500, speed up to 1500Mbps
1x Gigabit Ethernet Port
Integrated Passthrough Power Socket
Supports up to 16 Powerline Extenders

1500Mbps

G.Hn 1500

**PID: WS-NWP101G2**

G.hn1500, speed up to 1500Mbps
1xGigabit Ethernet Port
Supports up to 16 Powerline Extenders

500Mbps

AV500

**PID: WS-NWU505D2**

HomePlug AV500, speed up to 500Mbps
Wi-Fi 5, 433Mbps (5GHz) + 300Mbps (2.4GHz)
1x Gigabit Ethernet Port
Integrated Passthrough Power Socket
Supports up to 7 Powerline Extenders

750Mbps

AV500

**PID: WS-NWU505AD**

HomePlug AV500, speed up to 500Mbps
1x Gigabit Ethernet Port
Integrated Passthrough Power Socket
Supports up to 7 Powerline Extenders

500Mbps

AV500

**PID: WS-NWP502M2**

HomePlug AV500, speed up to 500Mbps
1x Fast Ethernet Port
Supports up to 7 Powerline Extenders

300Mbps

AV500

**PID: WS-WS-NWU502WM**

HomePlug AV500, speed up to 500Mbps
Wi-Fi 4, 300Mbps (2.4GHz)
1x Fast Ethernet Port
Supports up to7 Powerline Extenders

## NAS (Network Attached Storage) | Single Bay, Dual Bay for Small Business and Home Office

NETWORK ATTCHED STORAGE

**PID: WS-NAS201**

Dual Bay for 2.5''/3.5'' HDD
Support capacity up to 2x 20TB
AI Image Recognition & Intelligent Classification
1x 2.5Gigabit Ethernet Port
1x USB-A 3.0

**PID: WS-NAS201**

Single Bay for 2.5''/3.5'' HDD
Support capacity up to 1x 20TB
1x Gigabit Ethernet Port
1x USB-A 3.0

**Personal Cloud Storage**

Compatible with 3.5"/2.5" SATA HDD
Single Bay supports capacity up to 1x 20TB
Dual Bay supports capacity up to 2x 20TB

**Multi-User Managemement**

Multiple users can be authorized through the application. Up to 1024 accounts with private personal space.
Public space for sharing the content between family members.

**Family Personal Cloud Player**

Suitable for family album users, photographers, travel enthusiasts, film and TV enthusiasts, home surveillance system users, etc.



**Data Security Protection**

Independent private space
Single disk data protection
AES256 encryption algorithm
Designated folder backup
Local placement of devices

**Simple & Easy-to-operate App**

Allow you to customize your workflow and your data storage solutions with easy inlcuding browsing documents & images, stream music & videos, sync & back up data with a minimalist interface.

**Wide Compatibility**

For computers: Windows & MacOS
For mobile devices: iOS 9+ and Android 4.4+
TV client: Android
Supported protocols: SMB TPLNA FS
Router and internet connection

| Thunderbolt™ 4 & USB4 | Quad Display Docking Station with 98W Charging |
|---|---|

**Certified by Intel / Based on Thunderbolt 4 & DisplayLink solution / Highest Spec. available in global market**




**PID: WS-UTD42**

1x Thunderbolt 4 Port to Host
3x Thunderbolt 4 Ports (downstream)
2x DisplayPort 1.2 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
4x USB-A (2x 10G, 2x 5G)
1x SD 4.0 Card Slot
1x 2.5 Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Power ON/OFF Switch
1x Thunderbolt 4 Cable (2.6ft/80cm)

## Thunderbolt™ 4 & USB4 | Triple Display Docking Station with 98W & 30W Charging

**Certified by Intel / Based on Thunderbolt 4 & MST solution / Driverless, Plug & Play**




**PID: WS-UTD46**

1x Thunderbolt 4 Port to Host
1x Thunderbolt 4 Ports (downstream)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (10G, PD 30W)
4x USB-A (2x 10G, 2x 5G)
1x SD/Micro SD 4.0 Card Slot
1x 2.5 Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Power ON/OFF Switch
1x Thunderbolt 4 Cable (2.6ft/80cm)

New!

## Thunderbolt™ 4 & USB4 | Dual Display Docking Station with 98W & 30W Charging

**Certified by Intel / Based on Thunderbolt 4 & MST solution / Driverless, Plug & Play**




**PID: WS-UTD44**

1x Thunderbolt 4 Port to Host
3x Thunderbolt 4 Ports (downstream)
4x USB-A (2x 10G, 2x 5G)
1x SD 4.0 Card Slot
1x 2.5 Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Power ON/OFF Switch
1x Thunderbolt 4 Cable (2.6ft/80cm)

New!

## THUNDERBOLT™ 4 & USB4 | Hub with Dual Display & 65W Charging & Tool Free SSD Enclosure

**Certified by Intel / Based on solution / Driverless, Plug & Play / World's First Thunderbolt 4 Dock with SSD Enclosure**




**PID: WS-UTE06**

1x Thunderbolt 4 Port to Host
2x Thunderbolt 4 Ports (downstream)
1x HDMI 2.1 (8K@30Hz)
3x USB-A (1x 10G, 2x 480Mbps)
1x SSD Enclosure ( SATA/NVMe 2280 )
1x DC IN 20V
1x Power ON/OFF Switch
1x Thunderbolt 4 Cable (2.6ft/80cm)

New!

| Thunderbolt™ 4 & USB4 | Hub with Dual DP Display & 85W Charging |
|---|---|

**Certified by Intel / Based on Thunderbolt 4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design**




**PID: WS-UTD52**

1x Thunderbolt 4 Port to Host
2x DisplayPort 1.4 (8K@60Hz)
1x USB-C (10G, DP)
3x USB-A (1x 10G, 2x 5G)
1x SD 4.0 Card Slot
1x 2.5 Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Power ON/OFF Switch
1x Thunderbolt 4 Cable (2.6ft/80cm)

New!

| Thunderbolt™ 4 & USB4 | Hub with Dual Display & 90W Charging |
|---|---|

**Certified by Intel / Based on Thunderbolt 4solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design**




New!

**PID: WS-UTD50T**

1x Thunderbolt 4 Port to Host
3x Thunderbolt 4 Ports (downstream)
2x DisplayPort 1.2 (4K@60Hz)
1x USB-A (10G, 15W)
1x DC IN 20V
1x Power ON/OFF Switch
1x Thunderbolt 4 Cable (2.6ft/80cm)

| Optional Accessory | for Thunderbolt™ 4 Docking Station and Hub |
|---|---|




**Thunderbolt 4 Cable**
Certified by Intel

| PID | Length | Data Transfer |
|---|---|---|
| WS-T4C5P | 50cm | 40Gbps |
| WS-T4C7P | 70cm | 40Gbps |
| WS-T4C8P | 80cm | 40Gbps |
| WS-T4C10P | 100cm | 40Gbps |

## Thunderbolt™ 3 | Dual Display Docking Station

**PID: WS-UTD21, WS-UTD23**

Certified by Intel
1x 8K@30Hz or 2x 4K@60Hz
65W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Combo Audio
1x Thunderbolt™ 3 Cable (2.3ft/70cm)
DP to HDMI adapter 4K@60Hz (Optional)

**PID: WS-UTD01, WS-UTD03**

Certified by Intel
1x 8K@30Hz or 2x 4K@60Hz
85W Power Delivery
10Gbps data transfer
1x SD/Micro SD 3.0 Card Slot
Gigabit Ethernet
Combo Audio
1x Thunderbolt™ 3 Cable (2.3ft/70cm)
DP to HDMI adapter 4K@60Hz (Optional)

**PID: WS-UTD04, WS-UTD05**

Certified by Intel
1x 8K@30Hz or 2x 4K@60Hz
5Gbps data transfer
Gigabit Ethernet
1x Thunderbolt™ 3 Cable (1.6ft/50cm)
DP to HDMI adapter 4K@60Hz (Optional)

## Optional Accessory | for Thunderbolt™ 3 Docking Station and Display Adapter

**Thunderbolt 3 Cable**
Certified by Intel

| PID | Length | Data Transfer |
|---|---|---|
| WS-TC5P | 50cm | 40Gbps |
| WS-TC7P | 70cm | 40Gbps |
| WS-TC10P | 100cm | 20Gbps |
| WS-TC18A | 180cm | 40Gbps |

**DisplayPort to HDMI Adapter**
4K@60Hz

**PID: WS-CAH5**

## THUNDERBOLT™ 3 | to Dual Display Adapter

**PID: WS-UTD21D**

Certified by Intel
2x DisplayPort 1.4
1x 8K@30Hz or 2x 4K@60Hz
1x Thunderbolt 3 Cable (1.6ft/50cm)
Driverless, Plug and Play
DP to HDMI adapter 4K@60Hz (Optional)

---

**PID: WS-UTA01D, WS-UTA02D**

Certified by Intel
2x DisplayPort 1.4
1x 8K@30Hz or 2x 4K@60Hz
1x Thunderbolt 3 Cable (1.6ft/50cm)
Driverless, Plug and Play
DP to HDMI adapter 4K@60Hz (Optional)

---

**PID: WS-UTA01H, WS-UTA02H**

Certified by Intel
2x HDMI 2.0
1x 8K@60Hz or 2x 4K@60Hz
1x Thunderbolt 3 Cable (1.6ft/50cm)
Driverless, Plug and Play
DP to HDMI adapter 4K@60Hz (Optional)

## THUNDERBOLT™ 3 | to M.2 NVMe SSD Enclosure

**Certified by Intel / World's First Thunderbolt™ 3 to NVMe SSD Enclosure**

**PID: WS-UTE01, WS-UTE02**

Certified by Intel
Special design for Apple users
Up to 40Gbps data transfer
Compatible with M.2 NVMe SSD 2260/2280
Support up to 2TB capacity SSD
Driverless, Plug and Play
1x Thunderbolt 3 Cable (1.6ft/50cm)
SSD is not included

Note: Winstars supply high performance 256G/512G/1TB/2TB SSD, pls refer to catalog Page 59.

| USB4 40Gbps | to M.2 NVMe Dual SSD Enclosure ( Tool Free ) |
|---|---|

**Based on ASMedia USB4 solution / The True USB4 to NVMe SSD Enclosure available in global market**

**PID: WS-ST401C**

Up to 40Gbps data transfer
Compatible with M.2 NVMe SSD 2260/2280
Support up to 4TB capacity SSD
CNC Aluminum Enclosure
Groove Design with Efficient Heat Dissipation
Continuous High-Speed Performance
Tool free design, friendly to use
Driverless,  Plug and Play
1x USB 4 Cable (0.8ft/25cm)
SSD is not included

| USB4 40Gbps | to M.2 NVMe Single SSD Enclosure ( Tool Free ) |
|---|---|

**Based on ASMedia USB4 solution / The True USB4 to NVMe SSD Enclosure available in global marke**

**PID: WS-ST402C**

Up to 40Gbps data transfer
Compatible with M.2 NVMe SSD 2260/2280
Support up to 4TB capacity SSD
CNC Aluminum Enclosure
Groove Design with Efficient Heat Dissipation
Continuous High-Speed Performance
Tool free design, friendly to use
Driverless,  Plug and Play
1x USB 4 Cable (0.8ft/25cm)
SSD is not included

| Reference Design | for USB4 to NVMe SSD Enclosure |
|---|---|

| USB4 40G Type-C | Dual DP Display Docking Station with 85W Charging |
|---|---|

**Based on Intel USB4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design**




**PID: WS-UTD08**

1x USB4 Port to Host
with fixed USB4 cable 25cm
2x DisplayPort 1.4 (8K@30Hz)
1x USB-C (10G, 15W)
3x USB-A (1x 10G, 2x 480Mbps)
1x USB-C PD IN 100W

| USB4 40G Type-C | Dual HDMI Display Docking Station with 85W Charging |
|---|---|

**Based on Intel USB4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design**




**PID: WS-UTD10**

1x USB4 Port to Host
with fixed USB4 cable 25cm
2x HDMI 2.1 (8K@30Hz)
1x USB-C (10G, 15W)
3x USB-A (1x 10G, 2x 480Mbps)
1x USB-C PD IN 100W

| USB4 40G Type-C | Dual HDMI Display Docking Station with 85W Charging |
|---|---|

**Based on Intel USB4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design**




**PID: WS-UHP4405**

1x USB4 Port to Host
with fixed USB4 cable 15cm
1x HDMI 2.0 (1x 8K@30Hz)
1x HDMI 2.0 (1x 4K@60Hz)
1x USB-C (10G)
6x USB-A (2x 10G, 2x 5G, 2x 480Mbps)
1x Gigabit Ethernet
1x USB-C PD IN 100W

| USB4 40G Type-C | Single HDMI Display Docking Station with 85W Charging |
|---|---|

**Certified by Intel / Based on solution / Driverless, Plug & Play / World's First Thunderbolt 4 Dock with SSD Enclosure**




**PID: WS-UHP4401**

1x USB4 Port to Host
with fixed USB4 cable 25cm
1x HDMI 2.0 (1x 8K@30Hz)
1x USB-C (10G)
6x USB-A (2x 10G, 2x 5G, 2x 480Mbps)
1x SD/Micro SD 4.0 (312Mbps)
1x Gigabit Ethernet
1x USB-C PD IN 100W

## Wi-Fi 6 Wireless Dock | Dual Display, 100W + 30W Power Delivery

**World's First Wi-Fi 6 based Wireless Dock available in global market / Connection with Wireless Mode or USB Mode**




**PID: WS-WD19PD1**

Wi-Fi 6 module supports 5GHz
4x External omini directional antennas
1x USB-C Port to Host
2x DisplayPort 1.2 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (5G, PD 30W)
4x USB-A (5G)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x Mode Switch Button

New!

Wireless Mode works with Windows only
USB Mode works with both macOS and Windows

## Wi-Fi 6 Wireless Dock | Dual Display, 65W Power Delivery

**World's First Wi-Fi 6 based Wireless Dock available in global market / Connection with Wireless Mode or USB Mode**




**PID: WS-WD76PD1**

Wi-Fi 6 module supports 5GHz
4x Internal omini directionall antennas
1x USB-C Port to Host
1x HDMI (4K@30Hz)
1x HDMI (2K@60Hz)
1x USB-C (5G)
3x USB-A (5G)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x Mode Switch Button

New!

# World's Highest Spec.

## DisplayLink Universal Dock available in global market

1x 4K@144Hz | 2x 8K@60Hz | 3x 5K@60Hz | 4x 4K@120Hz

PID: WS-UG74PD1

| DisplayLink USB-C /A | Quad Display Docking Station with 100W & 30W Charging |
|---|---|

**Powered by DisplayLink / Work with USB-C&A laptop / Highest Spec. DisplayLink Universal Dock available in global market**




**PID: WS-UG74PD1**

1x USB-C Port to Host
4x DisplayPort 1.2 (4K@120Hz)
1x USB-C (10G)
1x USB-C (10G, PD 30W)
4x USB-A (10G)
1x SD/Micro SD 4.0 (312Mbps)
1x 2.5 Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Power ON/OFF Switch

**Note:**

Works with Thunderbolt 3/4, USB4, USB-C laptops
Compatible with Windows, macOS (including M1 Mac & M2 Mac), Chromes, etc.
M1 Mac/M2 Mac systems support up to four external displays extended or duplicated with the latest DisplayLink drivers.

| DisplayLink USB-C /A | Quad Display Universal Docking Station with 100W & 30W Charging |
|---|---|

**Powered by DisplayLink / Work with USB-C&A laptop / Support Windows & macOS (includes M1 & M2)**




**PID: WS-UG69PD8**

1x USB-C Port to Host
4x DisplayPort 1.2 (4K@60Hz)
1x USB-C (2x 10G, 2x 5G)
1x USB-C (10G, PD 30W)
4x USB-A (2x 10G, 2x 5G)
1x SD/Micro SD 4.0
1x 2.5 Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Power ON/OFF Switch

**Note:**

Works with Thunderbolt 3/4, USB4, USB-C laptops
Compatible with Windows, macOS (including M1 Mac & M2 Mac), Chromes, etc.
M1 Mac/M2 Mac systems support up to four external displays extended or duplicated with the latest DisplayLink drivers.

| DisplayLink USB-C /A | Triple Display Universal Docking Station with PD Charging |
|---|---|

**PID: WS-UG69PD25**

1x USB-C Port to Host
2x DP 1.2 + 3x HDMI 2.0
1x 4K@60Hz or 3x 4K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Combo Audio

10Gbps

HOT SALE

**PID: WS-UG63PD25**

1x USB-C Port to Host
2x DP 1.2 + 3x HDMI 2.0
1x 4K@60Hz or
1x 4K@60Hz + 2x 2K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Combo Audio

10Gbps

HOT SALE

**PID: WS-UG69PD24**

1x USB-C Port to Host
2x DP 1.2 + 1x HDMI 2.0
1x 4K@60Hz or 3x 4K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio

5Gbps

**PID: WS-UG63PD24**

1x USB-C Port to Host
2x DP 1.2 + 1x HDMI 2.0
1x 4K@60Hz or
1x 4K@60Hz + 2x 2K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio

5Gbps

**PID: WS-UG39PD5**

1x USB-C Port to Host
1x DP1.2 + HDMI 2.0 + 1x DVI
1x 4K@60Hz or
1x 4K@60Hz + 2x 2K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio

5Gbps

**PID: WS-UG39PD1**

1x USB-C Port to Host
1x DP1.2 + HDMI 2.0 + 1x DVI
1x 4K@60Hz or
1x 4K@60Hz + 2x 2K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio

5Gbps

| DisplayLink USB-C /A | Triple Display Universal KVM Docking Station with Dual 100W Charging |
|---|---|

**Powered by DisplayLink / Work with USB-C&A laptop / Support the True Sharing between Two Hosts with Different Systems**




**PID: WS-UG69PD27**

2x USB-C Port to two Hosts
2x DisplayPort 1.2 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (10G)
4x USB-A (2x10G, 2x 480Mbps)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Hosts Switch Button
1x Power ON/OFF Switch

HOT SALE

10Gbps

| DisplayLink USB-C /A | Dual Display Universal Docking Station with 100W Charging |
|---|---|

**PID: WS-UG69PD1M Pro**

2x DP 1.2 + 2x HDMI 2.0
1x 4K@60Hz or 2x 4K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Mic In + Audio Out

10Gbps

HOT SALE

**PID: WS-UG63PD1M Pro**

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 2K@60Hz or 2x 2K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Mic In + Audio Out

10Gbps

HOT SALE

**PID: WS-UG69PD1 Pro**

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 4K@60Hz or 2x 4K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio

5Gbps

HOT SALE

**PID: WS-UG63PD1 Pro**

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 2K@60Hz or 2x 2K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio

5Gbps

5Gbps

**PID: WS-UG69PD5**

1x USB-C Port to Host
1x DP1.2 + HDMI 2.0 + 1x DVI
1x 4K@60Hz or 2x 4K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio

5Gbps

**PID: WS-UG69PD6**

1x USB-C Port to Host
1x DP1.2 + HDMI 2.0 + 1x DVI
1x 4K@60Hz or
1x 4K@60Hz + 1x 2K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio

| DisplayLink USB-C /A | Dual Display Universal Docking Station with Ergonomic Laptop Stand |
|---|---|

**Powered by DisplayLink / Work with USB-C&A laptop / World's First DisplayLink Dock with Ergonomic Laptop Stand.**




**PID: WS-WS-UG69PD18 Pro**

1x USB-C Port to Host
2x DisplayPort 1.2 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (5G)
3x USB-A (1x 5G, 2x 480Mbps)
1x SD/Micro SD 3.0 (104Mbps)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x USB-C PD IN 100W

New!

5Gbps

| DisplayLink USB-C /A | Dual Display Universal Docking Station |
|---|---|

**PID: WS-UG39DK1, WS-UG39DK4V**

1x USB-B Port to Host
1x HDMI 2.0 + 1x DVI
1x 2K@60Hz or 2x 2K@60Hz
5Gbps data transfer
Gigabit Ethernet
Mic In + Audio Out
Vertical stand for dock is optional

5Gbps

5Gbps

**PID: WS-UG39DK7, WS-UG39DK8**

1x USB-B Port to Host
1x HDMI 2.0 + 1x DVI
1x 2K@60Hz or 2x 2K@60Hz
5Gbps data transfer
Gigabit Ethernet
Mic In + Audio Out

5Gbps

5Gbps

**PID: WS-UG39DK3**

5Gbps

1x USB-B Port to Host
1x HDMI 2.0 + 1x DVI
1x 2K@60Hz or 2x 2K@60Hz
5Gbps data transfer
BC1.2 12W Fast Charging
Gigabit Ethernet
Mic In + Audio Out
Bauhaus Design

**PID: WS-UG39DH2**

5Gbps

1x USB-A to Host with fixed cable13cm
1x HDMI 2.0 + 1x VGA
1x 4K@30Hz or
1x 4K@30Hz + 1x 1080P@60Hz
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
2-in-1 Combo Design

| DisplayLink USB-C /A | Dual Display Universal Docking Station with 2.5” HDD Enclosure |
|---|---|

**Powered by DisplayLink / Work with USB-C&A laptop / Support the True Sharing between Two Hosts with Different Systems**




**PID: WS-UG39DK2D**

5Gbps

1x USB-B Port to Host
1x HDMI 2.0 + 1x DVI
1x 2K@60Hz or 2x 2K@60Hz
6x USB-A (4x 5G, 2x 480Mbps)
1x USB-A (5V 2.4A, 12W Charging)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x 2.5’’ HDD Enclosure
1x DC IN 20V
1x Power ON/OFF Switch

| Silicon Motion USB-C /A | Dual Display Universal Docking Station |
|---|---|

**PID: WS-UG76PD2 Pro, WS-UG76PD4 Pro**

1x USB-A Port to Host
1x HDMI 2.0 + 1x DVI
1x 4K@30Hz or 1x 4K@30Hz + 1x 2K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio
Vertical stand for dock is optional

**PID: WS-UG49PD1 Pro, WS-UG49PD5 Pro**

1x USB-C Port to Host
2x HDMI 2.0 + 1x DVI
1x 4K@60Hz or
1x 4K@60Hz + 1x 4K@30Hz + 1x 2K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio

**PID: WS-UG49DK1**

5Gbps

1x USB-B Port to Host
1x HDMI 2.0 + 1x DVI
1x 2K@60Hz or 2x 2K@60Hz
5Gbps data transfer
BC1.2 12W Fast Charging
Gigabit Ethernet
Mic In + Audio Out
Bauhaus Design

**PID: WS-UG49DH2**

5Gbps

1x USB-A to Host with fixed cable
1x HDMI 2.0 + 1x VGA
1x 4K@30Hz or
1x 4K@30Hz + 1x 2K@60Hz
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
2-in-1 Combo Design

| Silicon Motion USB-C /A | Dual Display Universal Docking Station with 100W Charging |
|---|---|

**Powered by Silicon Motion / Work with USB-C&A laptop**




**PID: WS-UG76PD5 Pro**

1x USB-C Port to Host
2x HDMI 2.0
1x 4K@60Hz or 1x 4K@30Hz
or 1x 4K@60Hz + 1x 4K@30Hz
1x USB-C (10G)
4x USB-A (1x 10G, 2x 5G, 1x 480Mbps)
1x Gigabit Ethernet
1x Combo Audio
1x SD/Micro SD 4.0 (312Mbps)
1x DC IN 20V
1x Power ON/OFF Switch

10Gbps

| PD 3.1 USB-C MST | Triple Display Docking Station with 125W Charging |
|---|---|

**Based on PD 3.1 Technology supporting PD 140W Pass Through Charging / Driverless, Plug & Play**

New!




**PID: WS-UMD27**

1x USB-C Port to Host
1x DisplayPort 1.4 (4K@60Hz)
2x HDMI 2.1 (8K@30Hz)
125W Passthrrough Charging
1x USB-C (10G)
2x USB-A (5G)
1x SD/Micro SD 3.0 (104Mbps)
1x Gigabit Ethernet
1x 3.5mm Combo Audio

| PD 3.1 USB-C MST | Triple Display Docking Station with 125W Charging |
|---|---|

**Based on PD 3.1 Technology supporting PD 140W Pass Through Charging / Driverless, Plug & Play**




**PID: WS-UMD29**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
1x HDMI 2.1 (8K@30Hz)
125W Power Delivery
1x USB-C (10G)
2x USB-A (5G)
1x SD/Micro SD 3.0 (104Mbps)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x USB-C PD IN 140W

| PD 3.1 USB-C SST | Single Display Mini Docking Station with 125W Charging |
|---|---|

**Based on PD 3.1 Technology supporting 140W Pass Through Charging / Driverless, Plug & Play**




**PID: WS-UHP3419M**

1x USB-C to Host with fixed cable 25cm
1x HDMI 2.0 (4K@60Hz)
1x USB-C (10G)
2x USB-A (1x 10G, 1x 480Mbps)
125W Power Delivery
1x USB-C PD IN 140W

| PD 3.1 USB-C SST | Single Display Docking Station with 125W Charging |
|---|---|

**Based on PD 3.1 Technology supporting 140W Pass Through Charging / Driverless, Plug & Play**




**PID: WS-UHP3419L**

1x USB-C to Host with fixed cable 25cm
1x HDMI 2.0 (4K@60Hz)
1x USB-C (5G)
2x USB-A (1x 5G, 1x 480Mbps)
125W Power Delivery
1x USB-C PD IN 140W

| PD 3.0 USB-C MST | Triple Display Docking Station with 85W or 100W Charging |
|---|---|

**PID: WS-UMD01M Pro, WS-UMD02M Pro**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
1x HDMI 2.0 (4K@60Hz)
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Combo Audio

**PID: WS-UMD01 Pro, WS-UMD02 Pro**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
1x HDMI 2.0 (4K@60Hz)
100W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio

**PID: WS-UMD03, WS-UMD04**

1x USB-C to Host with fixed cable 50cm
1x DisplayPort 1.4 (4K@60Hz)
1x HDMI 2.0 (4K@60Hz)
1x VGA (1080p@60Hz)
85W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio
PD 100W Power Adapter (optional)

**PID: WS-UMD05 Pro, WS-UMD06 Pro**

1x USB-C Port to Host
1x DisplayPort 1.4 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
100W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio

| PD 3.0 USB-C MST | Triple Display Docking Station with 100W or 85W Charging |
|---|---|

**PID: WS-UMD08, WS-UMD09**

1x USB-C to Host with fixed cable 50cm
1x DisplayPort 1.4 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
85W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio
PD 100W Power Adapter (optional)

5Gbps

**PID: WS-UMD18, WS-UMD19**

1x USB-C to Host with fixed cable 50cm
2x DisplayPort 1.4 (4K@60Hz)
1x HDMI 2.0 (4K@60Hz)
85W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio
PD 100W Power Adapter (optional)

5Gbps

**PID: WS-UMD20, WS-UMD21**

1x USB-C to Host with fixed cable 50cm
3x DisplayPort 1.4 (4K@60Hz)
85W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio
PD 100W Power Adapter (optional)

5Gbps

5Gbps

**PID: WS-UMD15**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
1x HDMI 2.0 (4K@60Hz)
85W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio
PD 100W Power Adapter (optional)

5Gbps

**PID: WS-UMD22**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
1x HDMI 2.0 (4K@60Hz)
85W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio
PD 100W Power Adapter (optional)

## PD 3.0 USB-C MST | Triple/Dual Display Docking Station with 85W Charging

5Gbps

2x HDMI 2.0 (4K@60Hz)
1x VGA (1080P@60Hz)

**WS-UMD311** **WS-UMD301**

5Gbps

2x HDMI 2.0 (4K@60Hz)
1x DisplayPort (4K@60Hz)

**WS-UMD312** **WS-UMD302**

### USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm
85W Power Delivery | 5Gbps data transfer | SD/Micro SD 3.0 (104Mbps) | Gigabit Ethernet | Combo Audio

---

5Gbps

**WS-UMD313** **WS-UMD303**

10Gbps

**WS-UMD316** **WS-UMD306**

10Gbps

**WS-UMD319** **WS-UMD309**

### USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm
2x DisplayPort 1.4 (4K@60Hz) | 1x HDMI 2.0 (4K@60Hz)
85W Power Delivery | SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet | Combo Audio

### USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm
1x HDMI 2.0 (4K@60Hz)
1x HDMI 2.0 (4K@30Hz)
85W Power Delivery | Gigabit Ethernet

## PD 3.0 USB-C MST | Triple Display Docking Station with 100W Charging & Tool Free SSD Enclosure

**Hybrid USB-C Dock with SSD Enclosure supporting SATA & NVMe Protocol / PD 100W Pass Through Charging**




**PID: WS-UMD23M**

1x USB-C Port to Host
1x DisplayPort 1.4 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (10G)
3x USB-A (2x 10G, 1x 5G)
1x SD/Micro SD 3.0 (104Mbps)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x SSD Enclosure(SATA/NVMe)
1x USB-C PD IN 100W (Pass Through)
1x DC IN 20V
1x Power ON/OFF Switch

New!

| PD 3.0 USB-C MST | Dual Display Docking Station with 85W Charging & Ergonomic Laptop Stand |
|---|---|

**USB-C Dock with Ergonomic Laptop Stand / Driverless, Plug & Play**




**PID: WS-UMD07, WS-UMD07 Pro**

1x USB-C Port to Host
2x HDMI 2.0 (4K@60Hz)
2x USB-A (5G)
1x SD/Micro SD 3.0 (104Mbps)
1x Gigabit Ethernet
1x USB-C PD IN 100W
1x Ergonomic Laptop Stand
PD 100W Power Adapter (WS-UMD07 Pro)

| PD 3.0 USB-C MST | Dual Display Docking Station with 85W Charging & Ergonomic Laptop Stand |
|---|---|

**Powered by DisplayLink / USB-C Dock with Ergonomic Laptop Stand / Driverless, Plug & Play**




**PID: WS-UMD17, WS-UMD17 Pro**

1x USB-C to Host
2x HDMI 2.0 (4K@60Hz)
1x USB-C (10G)
5x USB-A (3x 10G, 2x 5G)
85W Power Delivery
1x USB-C PD IN 100W
1x Ergonomic Laptop Stand
PD 100W Power Adapter (WS-UMD17 Pro)

| PD 3.0 USB-C MST | Triple Display Docking Station with Ergonomic Laptop Stand & Wireless Charger |
|---|---|

**World's First 3-IN1 USB-C Dock with Ergonomic Laptop Stand & Wireless Charger / Driverless, Plug & Play**




**PID: WS-UMD33EW**

1x USB-C to Host with fixed cable 25cm
2x DisplayPort 1.4 (4K@60Hz)
1x HDMI 2.0 (4K@60Hz)
1x USB-C (5G)
4x USB-A (3x 5G, 2x 480Mbps)
1x SD/Micro SD 3.0 (104Mbps)
1x Gigabit Ethernet
1x DC IN 20V
1x Ergonomic Laptop Stand
1x 3-IN-1 Wireless Charger
Smartphone(15W), Apple Watch(5W), Airpod(3W)

| USB-C SST | Single Display Mini Docking Station with PD Charging |
|---|---|

New!

10Gbps

4K 60Hz

| PID | WS-UHP3419M | WS-UHP3419 | WS-UHP3418 | WS-UHP3412 | WS-UHP3420 |
|---|---|---|---|---|---|
| USB-C to Host | 10G | 10G | 10G | 10G | 10G |
| PD Charging | 125W | 85W | 85W | 85W | 85W |
| HDMI | 4K@60Hz | 4K@60Hz | 4K@60Hz | 4K@60Hz | 4K@60Hz |
| USB-C Ports | 1x 10G | 1x 10G | 1x 10G | 1x 10G | 1x 10G |
| USB-A Ports | 2x 10G | 2x 10G | 2x 10G | 2x 10G | 1x 10G + 1x 480Mbps |
| SD/Micro SD | — | — | — | — | 3.0 |
| RJ45 Ethernet | — | — | Gigabit | — | — |
| SSD Enclosure | — | — | — | — | √ |
| Power Supply | USB-C PD IN | USB-C PD IN | USB-C PD IN | USB-C PD IN | USB-C PD IN |

New!

5Gbps

4K 60Hz

| PID | WS-UHP3419L | WS-UHP3416 | WS-UHP3409 Pro | WS-UHP3408 |
|---|---|---|---|---|
| USB-C to Host | 5G | 5G | 5G | 5G |
| PD Charging | 125W | 85W | 85W | 85W |
| HDMI | 4K@60Hz | 4K@60Hz | 4K@60Hz | 4K@60Hz |
| USB-C Ports | 1x 5G | — | — | — |
| USB-A Ports | 2x5G | 3x 5G | 3x 5G | 2x 5G |
| SD/Micro SD | — | 3.0 | 3.0 | — |
| RJ45 Ethernet | — | Gigabit | Gigabit | Gigabit |
| USB-C PD IN | √ | √ | √ | √ |

| USB-C SST | Single Display Mini Docking Station with PD Charging |
|---|---|

5Gbps

4K 60Hz



| PID | WS-UHP3417 | WS-UHP3407 | WS-UHP3406 | WS-UHP3405M | WS-UHP3404M |
|---|---|---|---|---|---|
| USB-C to Host | 5G | 5G | 5G | 5G | 5G |
| PD Charging | 85W | 85W | 60W | 85W | 85W |
| HDMI | 4K@30Hz | 4K@30Hz | 4K@30Hz | 4K@30Hz | 4K@30Hz |
| USB-C Ports | — | — | | 1x 5G | — |
| USB-A Ports | 3x 5G | 3x 5G | 2x 5G | 2x 5G | 2x 5G |
| SD/Micro SD | — | 3.0 | 3.0 | 3.0 | 3.0 |
| RJ45 Ethernet | Gigabit | — | Gigabit | — | — |
| Power Supply | USB-C PD IN | USB-C PD IN | USB-C PD IN | USB-C PD IN | USB-C PD IN |

5Gbps

4K 60Hz

| PID | WS-UHP3403H | WS-UHP3403HR | WS-UHP3402 | WS-UHP3D01 | WS-UHP3D01G |
|---|---|---|---|---|---|
| USB-C to Host | 5G | 5G | 5G | 5G | 5G |
| PD Charging | 85W | 85W | 85W | 18W | 18W |
| HDMI | 4K@30Hz | 4K@30Hz | 4K@30Hz | 4K@30Hz | 4K@30Hz |
| USB-C Ports | — | — | — | 1x 5G | 1x 5G |
| USB-A Ports | 4x 5G | 3x 5G | 1x 5G | 2x 5G | 2x 5G |
| SD/Micro SD | — | 3.0 | — | — | — |
| RJ45 Ethernet | — | — | — | — | Gigabit |
| Power Supply | USB-C PD IN | USB-C PD IN | USB-C PD IN | DC IN | DC IN |

## USB-C or A Multi Function | Hub with Ethernet Port

2.5Gbps 1Gbps 1Gbps 1Gbps 1Gbps

| PID | WS-UHP3033G | WS-UH3033G | WS-UH3031GC1 | WS-UH3031GC | WS-UH3031G |
|---|---|---|---|---|---|
| USB to Host | USB-C 10G | USB-C 10G | USB-C 5G | USB-C 5G | USB-A 5G |
| PD Charging | 85W | — | — | — | — |
| USB-C Ports | 1x 10G + PD | 1x 10G | 1x 10G | — | — |
| USB-A Ports | 2x 10G | 2x 10G | 1x 10G + 1x 480Mbps | 3x 5G | 3x 5G |
| RJ45 Ethernet | 2.5 Gigabit | Gigabit | Gigabit | Gigabit | Gigabit |
| Power Supply | USB-C PD IN | USB-C PD IN | USB-C PD IN | DC 5V IN | DC 5V IN |

## USB-C or A Multi Function | Hub with Card Reader

| PID | WS-UH3047RC | WS-UH3047R |
|---|---|---|
| USB to Host | USB-C 5G | USB-A 5G |
| SD/Micro SD | 3.0 | 3.0 |
| USB-A Ports | 3x 5G | 3x 5G |
| Power Supply | DC 5V IN | DC 5V IN |

## USB-C 10Gbps | Hub with 4 Ports

10Gbps

| PID | WS-UHP3412 | WS-UH30422 |
|---|---|---|
| USB-C to Host | 10G | 10G |
| PD Charging | 85W | — |
| USB-C Ports | 4x 10G (1x PD) | 2x 5G |
| USB-A Ports | — | 2x 5G |

| USB Multi Port | Hub with Fast Charging and Switch |
|---|---|

5Gbps

| PID | WS-UH3076 | WS-UH3049 |
|---|---|---|
| USB-B to Host | 5G | 5G |
| USB-A Ports | 7x 5G + 7.5W Fast Charging | 7x 5G + 7.5W Fast Charging |
| Switch | 7x Switches | 4x Switches |
| Power Supply | DC 20V IN | DC 12V IN |

5Gbps

| PID | WS-UH3101 | WS-UH3072P2 | WS-UH3072 |
|---|---|---|---|
| USB-B to Host | 5G | 5G | 5G |
| USB-A Ports | 8x 5G | 7x 5G | 5x 5G |
| | 2x 5G or 7.5W | 12W | 2x 5G + 7.5W |
| Switch | 1x Switch | 1x Switch | — |
| Power Supply | DC 12V IN | DC 12V IN | DC 12V IN |

5Gbps

| PID | WS-UH3042P1 | WS-UH3043 |
|---|---|---|
| USB-B to Host | 5G | 5G |
| USB-A Ports | 4x 5G | 4x 5G |
| | 12W | — |
| Switch | — | — |
| Power Supply | DC 12V IN | DC 12V IN |

## USB-C or A 5Gbps Hub | With 7x USB Ports




| PID | WS-UH3075C | WS-UH3074C1 | WS-UH3074C | WS-UH3074 | WS-UH3075 |
|---|---|---|---|---|---|
| USB to Host | USB-C 5G | USB-C 5G | USB-C 5G | USB-A 5G | USB-A 5G |
| USB-C Ports | — | 1x 5G | — | — | — |
| USB-A Ports | 7x 5G | 6x 5G | 7x 5G | 7x 5G | 7x 5G |
| Power Supply | DC 5V IN | DC 5V IN | DC 5V IN | DC 5V IN | DC 5V IN |

## USB-A 5Gbps | Hub with 4 Ports

| PID | WS-UH30414 | WS-UH30413 | WS-UH30412 | WS-UH30411 | WS-UH30410 |
|---|---|---|---|---|---|
| USB-A to Host | 5G | 5G | 5G | 5G | 5G |
| USB-A Ports | 4x 5G | 4x 5G | 4x 5G | 4x 5G | 4x 5G |
| Hub Switch | 4x Switchs | — | — | — | — |

## USB2.0 Hub

**WS-UH2042**: 4 Ports Hub
**WS-UH2040**: 4 Ports Hub
**WS-UH2070**: 7 Ports Hub

## Thunderbolt 3 Display Adapter | Dual DisplayPort, Dual HDMI

Thunderbolt™ 3

**8K@30Hz or 4K@60Hz**

| PID | WS-UTA21D | WS-UTA01D | WS-UTA02D | WS-UTA01H | WS-UTA02H |
|---|---|---|---|---|---|
| USB to Host | Thunderbolt 3 | Thunderbolt 3 | Thunderbolt 3 | Thunderbolt 3 | Thunderbolt 3 |
| DisplayPort 1.4 | 2 | 2 | 2 | — | — |
| HDMI 2.0 | — | — | — | 2 | 2 |
| Single Display | 8K@30Hz | 1x 4K@60Hz | 1x 4K@60Hz | 1x 4K@60Hz | 1x 4K@60Hz |
| Dual Display | 2x 4K@60Hz | 2x 4K@60Hz | 2x 4K@60Hz | 2x 4K@60Hz | 2x 4K@60Hz |

**Note:**

* Based on Thunderbolt 3 solution, work with Thunderbolt 3/4 Laptop, Comaptible with Windows and macOS
* M1/M2 MacBooks will only support 1 external duplicated or extended display due to the laptop limitation.

## DisplayLink Display Adapter | DisplayPort, HDMI, DVI and VGA

DisplayLink

**4K@60Hz**

| PID | WS-UG69DH2 | WS-UG63DH2 | WS-UG39DH1 | WS-UG39DH4 |
|---|---|---|---|---|
| USB to Host | USB-A/C | USB-A/C | USB-A | USB-A |
| DisplayPort 1.2 | 2 | 2 | — | — |
| HDMI 2.0 | 2 | 2 | 1 | 1 |
| DVI | — | — | 1 | 1 |
| VGA | — | — | — | 1 |
| Single Display | 1x 4K@60Hz | 1x 2K@60Hz | 1x 2K@60Hz | 1x 2K@60Hz |
| Dual Display | 2x 4K@60Hz | 2x 2K@60Hz | 2x 2K@60Hz | 2x 2K@60Hz |
| RJ45 Ethernet | — | — | Gigabit | — |

**Note:**

* Work with Thunderbolt 3/4, USB4, USB3.0/2.0 Laptop, Comaptible with Windows and macOS.
* M1/M2 MacBooks Support up to 2 external duplicated or extended displays on Windows and macOS including M1/M2.

## Silicon Motion Display Adapter | Dual HDMI, Single HDMI, Single DisplayPort

SiliconMotion

**4K@30Hz**



| PID | WS-UG7602HC | WS-UG7602H | WS-UG7601HC | WS-UG7601H | WS-UG7601DPC | WS-UG7601DP |
|---|---|---|---|---|---|---|
| **USB to Host** | USB-A/C | USB-A | USB-A/C | USB-A | USB-A/C | USB-A |
| **HDMI 2.0** | 2 | 2 | — | — | — | — |
| **Single Display** | 1x 4K@30Hz | | | | | |
| **Dual Display** | 1x 4K@30Hz + 2K@60Hz | | | | | |

**Note:**

* Based on Silicon Mition solution, work with Thunderbolt 3/4, USB4.0/3.0/2.0 Laptop, comaptible with Windows and macOS.
* M1/M2 MacBooks Support up to 2 external duplicated or extended displays on Windows and macOS including M1/M2.

## USB-C MST Display Adapter | Quad Display, Triple Display, Dual Display

| PID | WS-UMD314 | WS-UMD315 | WS-UMD317 | WS-UMD318 | WS-UHP513 | WS-UHP513 |
|---|---|---|---|---|---|---|
| USB to **Host** | USB-C | USB-C | USB-C | USB-C | USB-C | USB-C |
| **PD Charging** | — | — | — | 85W | 85W | 85W |
| **DisplayPort 1.4** | 1 | 1 | 2 | 1 | — | — |
| **HDMI 2.0** | 2 | 2 | 2 | 2 | 2 | 2 |
| **VGA** | 1 | — | 1 | — | — | — |
| **Single Display** | 1x 4K@60Hz | 1x 4K@60Hz | 1x 8K@60Hz | 1x 8K@60Hz | 1x 8K@30Hz | 1x 4K@30Hz |
| **Dual Display** | 2x 4K@60Hz | 2x 4K@60Hz | 2x 4K@60Hz | 2x 4K@60Hz | 2x 4K@60Hz | 2x 4K@30Hz |
| **Triple Display** | 1x 4K@60Hz +2x 4K@30Hz | | 3x 4K@60Hz | — | — | — |
| **Quad Display** | 3x 4K@30Hz +1x 1080p@30Hz | | 2x 4K@60Hz + 1x4K@30Hz +1080p@60Hz | — | — | — |
| **USB-C** | USB-C PD IN | USB-C PD IN | USB-C PD IN | USB-C PD IN | USB-C PD IN | USB-C PD IN |
| **USB-A** | 2x 480Mbps | 3x 480Mbps | 3x 480Mbps | 3x 480Mbps | — | — |

**Note:**

* Based on USB-C MST solution, work with Thunderbolt 3/4, USB4, USB-C Laptop, Comaptible with Windows and macOS.
* M1/M2 MacBooks will only support 1 external duplicated or extended display due to the laptop limitation.

## USB to Display Adapter | DisplayPort, HDMI, DVI and VGA

**PID: WS-C2PD2**
USB-C to DisplayPort
8K@60Hz

**PID: WS-UG5501DP**
USB-C to DisplayPort
4K@60Hz

**PID: WS-UG5501H**
USB-A to HDMI
4K@60Hz

**PID: WS-UG3501H**
USB-A to HDMI
2K@30Hz

**PID: WS-UG3501HC**
USB-C to HDMI
2K@60Hz

**PID: WS-UG35H5**
USB-A to HDMI
2K@60Hz

**PID: WS-UG17H2**
USB-C to HDMI
1920x1080@60Hz



**PID: WS-UG3501D**
USB-A to DVI
2K@60Hz

**PID: WS-UG3501DC**
USB-A to DVI
2K@60Hz

**PID: WS-UG35D4**
USB-C to DVI
2K@60Hz

**PID: WS-UG35D6**
USB-C to DVI
2K@60Hz

**PID: WS-UG19D1**
USB-A to DVI
2K@60Hz

**PID: WS-UG17D1**
USB-A to DVI
1920*1080@60Hz

**PID: WS-UG17V2**
USB-A to DisplayPort
1920*1080@60Hz

**PID: WS-C2VGC1**
USB-C to VGA
1920*1080@60Hz

**PID: WS-UG321V**
USB-A to VGA
1080P

## USB to Ethernet Adapter — 5G, 2.5G and Gigabit

**PID: WS-NWU340G**
USB-C to 5G Ethernet

**PID: WS-NWU330GC**
USB-C to 2.5G Ethernet

**PID: WS-NWU331GC**
USB-C to 2.5G Ethernet

**PID: WS-NWU329GC**
USB-C 3.0 to 1G Ethernet

**PID: WS-NWU328GC**
USB-C 3.0 to 1G Ethernet

**PID: WS-NWU326GC**
USB-C 3.0 to 1G Ethernet

**PID: WS-NWU326G**
USB-A 3.0 to 1G Ethernet

**PID: WS-NWU320G**
USB-A 2.0 to 1G Ethernet

## USB to Printer Server — USB Wireless and Wired Print Server

**PID: WS-NU516U1**
Wireless USB2.0 Printer Server
Wireless & Wired Mode
Support WPS Function
1x 100Mbps Ethernet In
1x 100Mbps Ethernet Out

**PID: WS-NU88M43**
Wired USB 2.0 Printer Server
1x Gigabit Ethernet Port
4x USB2.0

**PID: WS-NU88M41**
Wired USB 2.0 Printer/Network Server 1x Gigabit Ethernet Port

**PID: WS-NU78M41**
Wired USB 2.0 Printer/Network Server
1x 100Mbps Ethernet Port

**PID: WS-NU72P11**
Wired USB 2.0 Printer Server
1x 100Mbps Ethernet Port

| USB to HDMI Vidoeo Caputer | 4K HDMI AV Capture |
|---|---|

**Support HDMI 2.0 Video Pass Through / 4K@60Hz Video Input & Output /4K@30Hz Video Capture**




**PID: WS-HG900U**

1x USB-C to Host
1x HDMI 2.0 In (4K@60Hz)
1x HDMI 2.0 Out (4K@30Hz)
1x Mic In
1x Line In
1x Line Out
OBS software suoported
Support UVC 1.0/1.1/1.5, UAC 1.0
Support HDR10 to HDR conversion
Compaible with Windows, macOS, Android, Linux, etc.

**PID: WS-WS-VR203T**

USB2.0 Audio & Video Capture supporting resolution 720x576

| USB to SD/TF Card | USB-C and USB-A to SD/TF Card 3.0 |
|---|---|

**PID: WS-CR3002**

USB-C and USB-A 5Gbps dual head
SD/TF Card 3.0 simultaneous reading and writing
Type-C OTG compliant
Support Win XP, 7, 8, 10, Vista, Linux,Mac OS,iPad OS and Android systems

NVMe SSD
SSD Enclosure
HDD/SSD Dock

| M.2 PCIe NVMe SSD | With Capacity 256G, 512G, 1TB, 2TB and 4TB |
|---|---|

PCI EXPRESS 4.0 x4

| PID | RapidFire880X-4TB | RapidFire880X-2TB | RapidFire880X-1TB |
|---|---|---|---|
| Capacity | 4TB | 2TB | 1TB |
| Interface | Gen 4.0 x 4 | Gen 4.0 x 4 | Gen 4.0 x 4 |
| Form Factor | M.2 2280 | M.2 2280 | M.2 2280 |
| Read Speed | 7400Mbps | 7400Mbps | 7400Mbps |
| Write Speed | 6600Mbps | 6600Mbps | 6600Mbps |

PCI EXPRESS 3.0 x4

| PID | WS-Thunderdrive 02 | WS-Thunderdrive 01 | WS-Thunderdrive 512 | WS-Thunderdrive 256 |
|---|---|---|---|---|
| Capacity | 2TB | 1TB | 512G | 256G |
| Interface | Gen 3.0 x 4 | Gen 3.0 x 4 | Gen 3.0 x 4 | Gen 3.0 x 4 |
| Form Factor | M.2 2280 | M.2 2280 | M.2 2280 | M.2 2280 |
| Read Speed | 3300Mbps | 3000Mbps | 3000Mbps | 3000Mbps |
| Write Speed | 3000Mbps | 2700Mbps | 1300Mbps | 1300Mbps |

| USB4 40Gps SSD Enclosure | USB4 40Gbps to NVMe SSD Enclosure ( Tool Free ) |
|---|---|

**PID: WS-ST401C**

USB4 to Single NVMe SSD Enclosure

**PID: WS-ST420C**

USB4 to Dual NVMe SSD Enclosure

**Note:** More details, please refer to catalog page 32

## Thunderbolt™ 3 SSD Enclosure | M.2 NVMe Single SSD Enclosure

**Certified by Intel / World's First Thunderbolt™ 3 to NVMe SSD Enclosure**

**PID: WS-UTE01**

Thunderbolt 3 to Single NVMe SSD Enclosure
with integrated Thunderbolt 3 cable

**PID: WS-UTE02**

Thunderbolt 3 to Single NVMe SSD Enclosure
with detachable Thunderbolt 3 cable

**Note:** More details, please refer to catalog page xx

## USB-C Dual SSD Enclosure | M.2 SATA & NVMe Dual Protocol ( Tool Free )

**PID: WS-ST348, WS-ST347**

Up to 10Gbps data transfer
Dual Bay M.2 SSD Enclosure
One Bay supports M.2 SATA III 6G or PCIe 3.0x4 Nvme
(WS-ST348 supports M.2 SATA)
(WS-ST347 supports M.2 SATA and NVMe)
One Bay supports M.2 PCIe 3.0x4 Nvme
Support 2230/2242/2260/2280 Size SSD
Built-in Heat-Conducting Silicone
Off On Line Clone
Support OTG

## USB-C Single SSD Enclosure | M.2 SATA or NVMe Dual Protocol

| PID | WS-ST340C | WS-ST338C | WS-ST238C | WS-ST237C | WS-ST236C |
|---|---|---|---|---|---|
| Interface | M.2 | M.2 | M.2 | M.2 | M.2 |
| USB-C | 10G | 10G | 10G | 10G | 10G |
| NVMe Protocol | √ | √ | √ | √ | √ |
| SATA Protocol | √ | — | — | — | — |
| SSD Size | | 2230 / 2242 / 2260 / 2280 | | | 2230 / 2242 |
| OTG | √ | — | — | — | — |

| SATA HDD/SSD Enclosure | USB-C 10Gbps, USB-B 5Gbps |
|---|---|

| PID | WS-ST235C1 | WS-ST239C |
|---|---|---|
| Interface | SATA III | SATA III |
| USB-C | 10G | 10G |
| HDD/SSD | √ | √ |
| SSD Size | 2.5'' | 2.5'' |
| OTG | √ | √ |

| PID | WS-ST235C | WS-ST235 | WS-ST239 |
|---|---|---|---|
| Interface | SATA III | SATA III | SATA III |
| USB-C | 5G | 5G | 5G |
| HDD/ SSD | √ | √ | √ |
| SSD Size | 2.5'' | 2.5'' | 2.5'' |
| OTG | √ | √ | √ |

| SATA HDD/SSD Adapter | USB-C or USB-C to SATA III 6G |
|---|---|

| PID | WS-ST345A | WS-ST345AP | WS-ST345C | WS-ST345CP |
|---|---|---|---|---|
| Interface | SATA III | SATA III | SATA III | SATA III |
| USB to Host | USB-A, 10G | USB-A, 10G | USB-C, 10G | USB-C, 10G |
| HDD/SSD | √ | √ | √ | √ |
| SSD Size | 2.5'' | 2.5'' | 2.5'' | 2.5'' |
| OTG | √ | √ | √ | √ |
| Power Adapter | — | DC 12V/2A | — | DC 12V/2A |

## HDD/SSD Storage Dock | 5Gbps and Dual Bay

| PID | WS-ST334UA | WS-ST341U | WS-ST336A |
|---|---|---|---|
| Interface | SATA III | SATA III | SATA III |
| USB to Host | USB-B, 5G | USB-B, 5G | USB-B, 5G |
| HDD/SSD | √ | √ | √ |
| SSD Size | 2.5'' & 3.5'' | 2.5'' & 3.5'' | 2.5'' & 3.5'' |
| SD/Micro SD | — | — | 3.0 |
| USB-A | — | — | 2x 5G, 2x 7.5W |
| Power Adapter | DC 12V/3A | DC 12V/3A | DC 12V/4A |

## HDD/SSD Storage Dock | 5Gbps and Single Bay

| PID | WS-ST33UA | WS-ST335A | WS-ST331A |
|---|---|---|---|
| Interface | SATA III | SATA III | SATA III |
| USB to Host | USB-C, 5G | USB-B, 5G | USB-B, 5G |
| HDD/SSD | √ | √ | √ |
| SSD Size | 2.5'' & 3.5'' | 2.5'' & 3.5'' | 2.5'' & 3.5'' |
| SD/Micro SD | — | 3.0 | 3.0 |
| USB-A | — | 2x 5G | 2x 5G |
| Power Adapter | DC 12V/3A | DC 12V/3A | DC 12V/3A |

GaN

## PD 3.1 GaN Charger | 240W/200W/140W Wall Charger, Desktop Charger

| PID | WS-G1402 | WS-G1402D | WS-G2003D | WS-G2403D |
|---|---|---|---|---|
| Charger Type | Wall Charger | Desktop Charger | Desktop Charger | Desktop Charger |
| PD Version | PD3.1 | PD3.1 | PD3.1 | PD3.1 |
| USB Ports | 2C1A | 2C1A | 3C1A | 3C1A |
| Single Port(Max) | 140W | 140W | 200W | 240W |
| Multi Port(Max) | 100W+12W+12W | 100W+12W+ 12W | 100W+65W+12W+12W | 140W+65W+12W+12W |

**Note:**
* The GaN Power Adapter above are foldable US plug, interchangeable EU/UK/AU are optional

## PD 3.0 GaN Charger | 130W/100W Wall Charger, Desktop Charger

**PID: WS-G1001, WS-G1001D**
100W 1C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W

**PID: WS-G1301, WS-G1301D**
130W 3C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W

**PID: WS-G1002, WS-G1002D**
100W 2C2A GaN Charger
Single Port: 100W
Multi Port: 38W + 30W+20W + 12W

**PID: WS-G1302, WS-G1302D**
130W 3C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W+20W + 12W

**WS-G1003, WS-G1003D**
100W 3C1A GaN Charger
Single Port: 100W
Multi Port: 45W + 30W+12W + 12W

**PID: WS-G1303, WS-G1303D**
130W 3C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W+12W + 12W

**Note:**
* The GaN Power Adapter above are foldable US plug, interchangeable EU/UK/AU are optional.

| PD 3.0 GaN Charger | 65W/30W Wall Charger |
|---|---|

**PID: WS-G6502**

65W 1C GaN Charger
Single Port: 65W
Foldable US plug

**PID: WS-G6502F**

65W 1C GaN Charger
Single Port: 65W
Fixed US or UK plug

**PID: WS-G6502FA**

65W 1C1A GaN Charger
Single Port: 65W
Multi Port: 12W + 12W
Fixed US or UK plug

**PID: WS-G6502FC**

65W 1C GaN Charger
Single Port: 65W
Foldable US plug

**PID: WS-G6505**

65W 2C1A GaN Charger
Single Port: 65W
Multi Port: 30W + 12W + 12W
Foldable EU or US plug
Fixed UK or AU plug

**PID: WS-G3002**

30W 1C GaN Charger
Single Port: 30W
Foldable US plug

**Note:**

* For WS-G6502 and WS-G3002, interchangeable EU/UK/AU are optional.

| PD 3.0 GaN Power Adapter | 100V/130W |
|---|---|

**PID: WS-G1004C, WS-G1304C**

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter



**PID: WS-WS-G1005C, WS-G1305C**

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter



**PID: WS-G1004D, WS-G1304D**

DC 100W GaN Power Adapter
DC 130W GaN Power Adapter

**PID: WS-G1005D, WS-G1305D**

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter

## PD 3.0 Power Adapter | 112W/77W, with 1x USB-A Charging Port

**PID: WS-P1101**

USB-C PD 3.0 112W (100W+ 12W) Power Adapter
USB-C PD 100W to Host
USB-A 12W to USB device

**PID: WS-P701**

USB-C PD 3.0 77W (65W+ 12W) Power Adapter
USB-C PD 65W to Host
USB-A 12W to USB device

## Desktop DC Power Adapter | 360W/230W/180W/160W/130W/100W

**PID: WS-P3601D**

360W 20V18A AC/DC
Desktop Power Adapter

**PID: WS-C2301**

230W 20V11.5A AC/DC
Desktop Power Adapter

**PID: WS-C1801**

180W 20V9A AC/DC
Desktop Power Adapter

**PID: WS-C1601**

160W 20V8A AC/DC
Desktop Power Adapter

**PID: WS-P1301**

130W 20V6.5A AC/DC
Desktop Power Adapter

**PID: WS-C1001**

100W 20V5A AC/DC
Desktop Power Adapter

## Qi1 15W Wireless Charger | Stand Charger, Car Charger

Qi 1 15W

Magnetic Design

Foreign Object Detection (FOD)

Over Temperature Protection(OTP)

Over Current Protection (OCP)

Under Current Protection (UCP)

**PID: WS-CW101**

Magnetic 15W wireless charger
5W/7.5W/10W/15W Charging
Support Apple & Android Mobile Phone
Ergononic stand with adjustable height
WPC-Qi V1.2.4 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

New!

**PID: WS-CW104**

Magnetic 15W wireless car charger
5W/7.5W/10W/15W Charging
Support Apple & Android Mobile Phone
WPC-Qi V1.2.4 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

New!

## Qi1 15W Wireless Charger | More items for you to choose

**PID: WS-CW301**

3-IN-1 15W Wireless Charger
For Phone, Apple Watch, Air Pod

**PID: WS-CW002**

3-IN-1 15W Wireless Charger
For Phone, Apple Watch, Air Pod

**PID: WS-CW006**

15W Single Wireless Charger
For Phone

| Qi2 15W Wireless Charger | Pad Charger, Car Charger |
|---|---|

Qi2 15W

Magnetic Design

Foreign Object Detection (FOD)

Over Temperature Protection(OTP)

Over Current Protection (OCP)

Under Current Protection (UCP)

**PID: WS-CW105**

15W Single wireless charger
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC-Qi V1.2.4 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

New!

**PID: WS-CW106**

Magnetic 15W wireless car charger
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC-Qi V1.2.4 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

New!

## Wireless Video Transmission Kit

**Portable design for Videographer, Filmmaker, Cinematgrapher, etc.**

**WS-WH300M**

Transmitter with 1x HDMI 1.4 IN + 1x HDMI 1.4 Out
Receiver with 2x HDMI 1.4 Out

**WS-WH300 Pro**

Transmitter with 1x HDMI 1.4 IN + 1x SDI Out
Receiver with 1x HDMI 1.4 Out + 1x SDI Out

1x Transmitter supports up to 4x Receivers
Detachable high gain omni directional antennas
Working frequency band: wireless 5GHz
H.264 Encoding Algorithm
1.3 inch OLED screen display the working status
Up to 150 meters Range & 80ms Ultra-low Latency
App supports simultaneous monitoring of mobile phone & tablet
Power supply modes: NP-F battery, USB-C Power, DC Power

**PID: WS-WH300M, WS-WH300 Pro**

1080P Wireless HDMI Transmitter and Receiver Kit

**PID: WS-WH300-4K**

4K@30Hz Wireless HDMI Transmitter and Receiver Kit

## Wireless Video Transmission Kit

IR Remote Terminal

Wide Range 328ft/100m

**Desktop design for Meeting, Education, E-Billboard, Project Display, etc.**

1x Transmitter supports up to 2x Receivers
Transmitter with 1x HDMI 1.4 IN + 1x HDMI 1.4 Out
Receiver with 2x HDMI 1.4 Out
Detachable high gain omni directional antennas
1x USB-A port for firmware upgrade
Power supply mode:  DC Power

Video resolution up to 1080p@60Hz (WS-WH1000-HD)
Video resolution up to 4K@30Hz (WS-WH1000-4K)
Working frequency band: wireless 5GHz
H.264 Encoding Algorithm
Up to 100 meters Range & 80ms Ultra-low Latency
Support IR (infrared return) control

**PID: WS-WH1000-HD**

1080P Wireless HDMI Transmitter and Receiver Kit

**PID: WS-WH1000-4K**

4K@30Hz Wireless HDMI Transmitter and Receiver Kit

# Full-duplex Wireless Headset Intercom System

**PID: WS-WI810H**

This is full-duplex wireless headset intercom system allowing up to 9 people to communicate simultaneously. Ideal for film, TV, stage, photo shoots, and sports, it offers hands-free communication and allows for movement with its wireless design. It boasts a range of 400m with extended battery life, all stored in a rugged, water-tight case.

Hand-free Operation

Easy for Teamwork

Lever-type Switch Design

Ultra Long Distance Transmission

1.9GHz wire le ss Frequency Range

**Master Headset**

Duplex mode: Full-Duplex(FDX)
Modulation: GFSK
Carrier frequencies: 1787MHz-1928MHz
Microphone type: Condenser microphone
Operating range: Up to 1312ft (400m) without obstacles

**Renote Headset**

Duplex mode: Full-Duplex(FDX)
Modulation: GFSK
Carrier frequencies: 1787MHz-1928MHz
Microphone type: Condenser microphone
Operating range: Up to 1312ft(400m) without obstacles

## Wireless Lalalier Microphone



**PID: WS-WA920Q1**

Advanced 2.4GHz wireless transmission technology
Built-In Omni Mics & 3.5mm Mic Inputs
Up to 200 meters Range & 13ms Ultra-low Latency
Selectable Stereo or Mono Output Modes
Bigger Vivid OLED Screen for Vital Info
Compatible with DSLR, mirrorless, mixers, modern Computers, smartphones, tablets and so much more
Real-Time and Playback Monitoring
Powerful Charging Box for Charging and Contain
Up to 7-Hr Recording & USB-C Charging Port (5V)

**PID: WS-WA280S1**

Advanced 2.4GHz wireless transmission technology
Built-In Omni Mics & 3.5mm Mic Inputs
Up to 200 meters Range & 13ms Ultra-low Latency
Selectable Stereo or Mono Output Modes
RX with Bigger Vivid OLED Screen for Vital Info
Compatible with DSLR, mirrorless, mixers, modern Computers, smartphones, tablets and so much more
Real-Time and Playback Monitoring
Powerful Charging Box for Charging and Contain
Up to 8-Hr Recording & USB-C Charging Port (5V)

## Wireless Lalalier Microphone

**PID: WS-WAJ600D1**

Advanced 2.4GHz wireless transmission technology
Built-In Omni Mics
Up to 50 meters Range & 20ms Ultra-low Latency
Powerful Charging Box for Charging and Contain
Up to 6-Hr Recording & USB-C Charging Port (5V)

**PID: WS-WAJ606D1**

Advanced 2.4GHz wireless transmission technology
Built-In Omni Mics
Up to 50 meters Range & 20ms Ultra-low Latency
Powerful Charging Box for Charging and Contain
Up to 6-Hr Recording & USB-C Charging Port (5V)

**PID: WS-WAJ610D1**

Advanced 2.4GHz wireless transmission technology
Built-In Omni Mics
Up to 50 meters Range & 20ms Ultra-low Latency
Powerful Charging Box for Charging and Contain
Up to 6-Hr Recording & USB-C Charging Port (5V)

**PID: WS-WAJ660D1**

Advanced 2.4GHz wireless transmission technology
Built-In Omni Mics
Up to 50 meters Range & 20ms Ultra-low Latency
Powerful Charging Box for Charging and Contain
Up to 6-Hr Recording & USB-C Charging Port (5V)

# HDMI AV Capture + High Defination Game Recorder






**4K@60Hz HDMI AV Capture + High Defination Game Recorder**

With the HDMI AV Capture, you can record your amazing gaming moments with stunning graphics and improve the quality of your content. This easy-to-use capture device lets you quickly start the game with the streaming platform and software you prefer, such as OBS Studio, Streamlabs OBS, XSplit, etc. You'll enjoy a great time playing 4K@60Hz resolution games with SDR support while the device captures footage without causing any control delay.

**PID: WS-HG900U**

1x USB-C to Host
1x HDMI 2.0 In (4K@60Hz)
1x HDMI 2.0 Out (4K@60Hz)
1x USB 2.0 (4K@30Hz)
1x Mic In
1x Line In
1x Line Out
OBS software suoported
Support UVC 1.0/1.1/1.5, UAC 1.0
Support HDR10 to HDR10 to SDR conversion
Compaible with Windows, macOS, Android, Linux, etc.

**PID: WS-HG901U**

1x USB-C to Host
1x HDMI 2.0 In (4K@60Hz)
1x HDMI 2.0 Out (4K@60Hz)
1x USB 2.0 (4K@30Hz)
1x Mic In
1x Line In
1x Line Out
OBS software suoported
Support UVC 1.0/1.1/1.5, UAC 1.0
Support HDR10 to HDR10 to SDR conversion
Compaible with Windows, macOS, Android, Linux, etc.

www.win-star.com

E-mail : winstars@win-star.com | Tel : (86) 755 8882 3721 | Fax : (86)755 8302 2207

Factory (Vietnam): Bac Ninh, Vietnam

Factory(Shenzhen): Longhua District, Shenzhen, China

Factory (Jiangxi): Longnan, Jiangxi, China

Factory (Dongguan): Hengli Town, Dongguan, China